



VINYL FENCING

Minnesota Vinyl & Aluminum, Inc.
12820 Emery Way Shakopee, MN 55379
Toll Free: 800-566-0732
Local: 952-403-0805
Web Page: www.mvas.com





Privacy Fencing

The perfect backdrop to lush garden plants or lively backyard parties, our privacy fencing offers both seclusion and sophistication. Providing maximum privacy and requiring minimal maintenance, we offer a wide variety of styles from traditional to contemporary to complement virtually any architectural style. To ensure superior strength and durability, the bottom rail is reinforced with steel.

All of our privacy fences 6 feet tall and below can be installed to withstand wind gusts of up to 130 mph.

Privacy made perfect with high performance and style.



The Ashforth™

Height: 4', 5' & 6'
Width: 6' & 8'
Picket Style: 7/8" x 6"
Tongue & Groove .065"
Color: ☐ ☐ ☐ ☐



The Canterbury™

Height: 4', 5' & 6'
Width: 6' & 8'
Picket Style: 7/8" x 6"
Tongue & Groove .065"
Color: ☐ ☐ ☐ ☐



The Lauderdale™

Height: 5' & 6'
Width: 6' & 8'
Picket Style: 7/8" x 13 7/8"
Interlocking Privacy .060"
Color: ☐



The Newport™

Height: 5' & 6'
Width: 6' & 8'
Picket Style: 7/8" x 6"
Tongue & Groove .065"
Color: ☐ ☐ ☐ ☐



¹Average weight noted is for a 6'x8' panel.



Picket & Pool Fencing

Our elegant vinyl fencing can dramatically change the look of your yard, adding beauty and warmth to the landscape. From simple straight-top to decorative scalloped-top designs, you'll find a wide selection of styles to suit your tastes. Plus, with Minnesota Vinyl & Aluminum, Inc. fencing, you are assured years of durable performance and maintenance-free satisfaction.

A simple solution that adds ornamental style to your landscape.



The Burton™

Height: 3', 4' & 5'
Width: 6' & 8'
Picket Style: 7/8" x 3"
Picket Caps: Dog ear or
Spade (3" picket spacing)
Bottom Rail: 1.5" x 5.5"
Color: ☐ ☐ ☐

35 lb¹



The Gillingham™

Height: 4' & 5' (w/ Mid-Rail)
Width: 6' & 8'
Picket Style: 7/8" x 1.5"
(3.7" picket spacing)
Color: ☐ ☐ ☐

42 lb¹



The Grantham™

Height: 3', 4' & 5'
Width: 6' & 8'
Picket Style: 7/8" x 3"
Picket Caps: Dog ear or
Spade (3" picket spacing)
Bottom Rail: 1.5" x 5.5"
Color: ☐ ☐ ☐

35 lb¹



The Waldston™

Height: 4' & 5' (w/ Mid-Rail)
Width: 6' & 8'
Picket Style: 7/8" x 3"
(3.7" picket spacing)
Color: ☐ ☐ ☐

34 lb¹

¹ Average weight noted
is for a 4'x8' panel.

Stock Color Options: White: ☐ Sand: ☐ Special Order Color Option: Khaki: ☐



Semi-Privacy Fencing

Our semi-privacy fencing offers just the right amount of seclusion for homeowners who want privacy without complete isolation. The superior strength and durability of our fence is due in part to the fact that the bottom rail is reinforced with a steel insert.



The Emery™

Height: 4', 5' (w/ Mid-Rail) & 6' (w/ Mid-Rail)

Width: 6' & 8'

Picket Style: 7/8" x 3" (11/16" picket spacing)"

Color: ☐ ☐



The Broadway™

Height: 4', 5' (w/ Mid-Rail) & 6' (w/ Mid-Rail)

Width: 6' & 8'

Picket Style: 7/8" x 3" and 7/8" x 1.5" alternating (11/16" picket spacing)

Color: ☐ ☐



¹Average weight noted is for a 6'x8' panel.

Horse Fencing



2 Rail

Post: 5" x 5" square post

Post Length: 5' & 6'

Rail Spacing: 11"

Rail Size: 1.5" x 5.5"

Color: ☐ ☐ ☐ ☐

3 Rail

Post: 5" x 5" square post

Post Length: 6.5', 7' & 7.5'

Rail Spacing: 11"

Rail Size: 1.5" x 5.5"

Color: ☐ ☐ ☐ ☐

4 Rail

Post: 5" x 5" square post

Post Length: 7', 7.5' & 8'

Rail Spacing: 9"

Rail Size: 1.5" x 5.5"

Color: ☐ ☐ ☐

Gates are available in kit form via special order to match all styles of Horse Fencing.



Traditional Post Caps

Decorative post caps are perfect to complement your outdoor fencing. Whether you are updating your existing vinyl fence or purchasing post caps with your new vinyl fence, one of our stylish options below are sure to enhance the look of your outdoor living space.



External

Size: 3", 3.5", 4", 5", 6" & 6.5"

Color: ☐ ☐ ☐ ☐



New England

Size: 4", 5", 6" & 6.5"

Color: ☐ ☐ ☐ ☐



Gothic

Size: 3.5", 4" & 5"

Color: ☐ ☐ ☐



Ball

Size: 4" & 5"

Color: ☐ ☐ ☐



Privacy & Semi-Privacy Fencing



The Holden™

Height: 5', 6', 7' & 8'
Width: 6' & 8'
Picket Style: 7/8" x 6"
Tongue & Groove .065"
(accents 7/8" x 1.5")
Color: ☐ ☐ ☐

76 lb¹



The Briston™

Height: 5', 6', 7' & 8'
Width: 6' & 8'
Picket Style: 7/8" x 6"
Tongue & Groove .065"
(accents 1.25" x 1.25")
Color: ☐ ☐ ☐

74 lb¹



The Portsmouth™

Height: 5', 6', 7' & 8'
Width: 6' & 8'
Picket Style: 7/8" x 6"
Tongue & Groove .065"
(accents 7/8" x 1.5")
Color: ☐ ☐ ☐

68 lb¹



The Miami™

Height: 5' & 6'
Width: 6' & 8'
Picket Style: 7/8" x 13 7/8"
Interlocking Privacy .060"
Color: ☐

80 lb¹



The Turnbridge™

Height: 5', 6', 7' & 8'
Width: 6' & 8'
Picket Style: 7/8" x 6"
Tongue & Groove .065"
(accents 7/8" x 1.5")
Color: ☐ ☐ ☐

73 lb¹



The Townsend™

Height: 5', 6', 7' & 8'
Width: 6' & 8'
Picket Style: 7/8" x 6"
Tongue & Groove .065"
(accents 3/4" round black aluminum)
Color: ☐ ☐ ☐

64 lb¹



The Grenada™

Height: 5' & 6'
Width: 6' & 8'
Picket Style: 7/8" x 6"
(7/8" picket spacing)
Color: ☐

66 lb¹



The Weldon™

Height: 5' & 6'
Width: 6' & 8'
Picket Style: 7/8" x 3"
& 7/8" x 6" alternating
(7/8" picket spacing)
Color: ☐

65 lb¹

¹Average weight noted is for a 6'x8' panel.

Picket Fencing



The Blackburn™

Height: 3', 4' & 5'
Width: 6' & 8'
Picket Style: 7/8" x 3"
Picket Caps: Dog ear or
Spade (3" picket spacing)
Bottom Rail: 1.75" x 3.5"
Color: ☐ ☐ ☐

37 lb¹



The Guildford™

Height: 4' & 5'
Width: 6' & 8'
Picket Style: 7/8" x 3"
& 7/8" x 1.5" alternating
Picket Caps: Spade
(1.7" picket spacing)
Bottom Rail: 1.5" x 5.5"
Color: ☐ ☐ ☐

41 lb¹



The Rochdale™

Height: 3', 4' & 5'
Width: 6' & 8'
Picket Style: 7/8" x 3"
Picket Caps: Dog ear or
Spade (1.7" picket spacing)
Bottom Rail: 1.75" x 3.5"
Color: ☐ ☐ ☐

43 lb¹



The Milano™

Height: 3', 4' & 5'
Width: 6' & 8'
Picket Style: 1.5" x 1.5"
Picket Caps: Spade
(2" picket spacing)
Bottom Rail: 2" x 6"
Color: ☐

36 lb¹

Pool Fencing



The Reading™

Height: 4' & 5'(w/ Mid-Rail)
Width: 6' & 8'
Picket Style: 7/8" x 3"
(0.6" picket spacing)
Color: ☐ ☐ ☐

50 lb¹



The Stanton™

Height: 4' & 5'(w/ Mid-Rail)
Width: 6' & 8'
Picket Style: 7/8" x 3"
(1.7" picket spacing)
Color: ☐ ☐ ☐

32 lb¹



The Harwich™

Height: 4' & 5'(w/ Mid-Rail)
Width: 6' & 8'
Picket Style: 7/8" x 1.5"
(1.7" picket spacing)
Color: ☐ ☐ ☐

41 lb¹



The Austell™

Height: 4' & 5'(w/ Mid-Rail)
Width: 6' & 8'
Picket Style: 7/8" x 3" &
7/8" x 1.5" alternating
(1.7" picket spacing)
Color: ☐ ☐ ☐

39 lb¹

¹ Average weight noted is for a 4'x8' panel.

Limited Non-Prorated Warranty

USAVinyl, LLC proudly warrants that its Vinyl Fencing, Vinyl Railing and Vinyl Outdoor Products are free from defects in material and manufacturing workmanship. Depending on the owner classification, USAVinyl's Vinyl Fencing, Vinyl Railing and Vinyl Outdoor Products will not chip, rot, crack, or experience excessive discoloration under normal atmospheric and weather conditions for the warranty period. Product which experiences color change due to normal weathering is excluded from this warranty (including non-uniform fading and color changes resulting from unequal exposure to the sun and elements). For the color Khaki, abnormal discoloration is defined as a change in color greater than eight (8) Hunter units of Delta E. This Warranty is only for products manufactured by USAVinyl, LLC. All products and all accessories not manufactured by USAVinyl, LLC (including, but not limited to - D&D Technologies, Nationwide Industries, Mayne, Eden, LMT, Classy Caps, Waymark, and all fabrics and all lighted post caps) have their own warranties by their respective manufacturers.

Protection Coverage:

Individual Residential Homeowners

- Vinyl Fencing and Vinyl Railing - Limited Lifetime Material Warranty for all vinyl extrusions. Hardware and connectors manufactured by USAVinyl, LLC (includes post mounts, bracket connectors, fasteners, metal supports, and all others) are warranted for 5 years following the purchase. Gate functionality is not warranted.
- Outdoor Products - Limited Lifetime Material Warranty for all vinyl extrusions. Hardware and connectors manufactured by USAVinyl, LLC (includes: post mounts, bracket connectors, fasteners, metal supports, and all others) are warranted for 5 years following the purchase. Powder coated finishes and treated wood are not warranted.

Other Owners - Materials purchased or installed upon property owned by - corporations, government agencies, non-profit entities, partnerships, schools, condominiums or any housing complex, apartments, or any type of premises not used by individual residential homeowners.

- Vinyl Fencing and Vinyl Railing - 20 Year Limited Material Warranty for all vinyl extrusions. Hardware and connectors manufactured by USAVinyl, LLC (includes post mounts, bracket connectors, fasteners, and all others) are warranted for 2 years following the purchase. Gate functionality is not warranted
- Outdoor Products - 20 Year Limited Material Warranty for all vinyl extrusions. Hardware and connectors manufactured by USAVinyl, LLC (includes post mounts, bracket connectors, fasteners, and all others) are warranted for 2 years following the purchase. Powder coated finishes and treated wood are not warranted.

Remedy:

USAVinyl, LLC at its sole discretion, will repair or replace said defective part(s). All such owners must pay all related labor costs of repair or replacement, including removal, installation and/or reinstallation costs. USAVinyl, LLC reserves the right to refund the purchase price to the consumer, and in the event that USAVinyl, LLC elects to do so, such refund shall be the purchaser's sole and exclusive remedy.

Limitations and Exclusions: The original owner must register this warranty with USAVinyl, LLC within 30 days of receipt of product by returning the attached registration card. This warranty is not transferable to any other person besides the original owner (materials cannot be transferred/re-installed from original install location). This warranty replaces all other oral or written warranties, liabilities or obligations of USAVinyl, LLC.

This warranty only covers defects in the materials and does not include failures, defects, or damage resulting from the following: act of god, man, animal, terrorism, accidents, improper installation, faulty installation, painting, impact damage, vandalism, soil movement, settlement, misuse, improper care, failure to provide reasonable repairs, normal and expected weathering of vinyl (includes fading), normal and expected weathering of metals (includes rusting and oxidation of metals), exposure to harmful chemicals, acid rain, distortion or warping due to unusual heat sources (including outdoor grills and reflection from windows or foil sheeting), and any discoloration due to pollution.

USAVinyl, LLC and its representatives and affiliates are not qualified to approve, recommend or advise as to the suitability or safety of products for all possible applications. Your local building code authority, engineer, and fire marshal's office should be consulted as to the proper and safe use of the products, including the installation of structures with specific load bearing capacities or other zoning code requirements.

It is understood and agreed that the liability of USAVinyl, LLC, whether in contract, in tort, under any warranty, in negligence or other wise, shall not exceed the return of the amount of the purchase price paid by the purchaser and under no circumstance shall USAVinyl, LLC be liable of special, indirect or consequential damages. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the limitation or exclusion may not apply to you. The price stated for the product is considered in limiting USAVinyl, LLC's liability. No action arising out of the transaction under this agreement, regardless of form, may be brought by the owner more than 30 days after the cause of action has occurred.

USAVinyl, LLC reserves the right to change or discontinue any of its products or the parts incorporated into any of its products without notice. If any product, piece, part, or component subject to this limited warranty is not available at the time of claim, USAVinyl, LLC reserves the right to submit another product, piece, part, or component that is in our sole discretion of equal quality or value.

Warranty Claims: You must keep this warranty and your original receipt/purchase contract in a safe place. If you feel you have a warranty claim, you must notify USAVinyl, LLC at 5795 Green Pointe Drive S, Groveport, OH 43125 in writing within 30 days of learning of the alleged defect and include copies of your original receipt/purchase contract. In the notification, provide as much detail as possible and include pictures of the alleged defect. USAVinyl, LLC must have reasonable access and opportunity to inspect the product or, at USAVinyl, LLC's option, to have the product shipped at the owner's expense, prepaid, to USAVinyl, LLC for examination of the alleged defect.

This warranty gives you specific legal rights, and you may also have other rights which vary from State to State. This warranty shall be governed by and construed under the laws of the State of Ohio. The parties to this warranty hereby designate the state or federal courts of Franklin County, Ohio as the courts of proper jurisdiction and exclusive venue for any actions or proceedings relating to this warranty or any dispute in connection herewith; hereby irrevocably consent to such designation, jurisdiction, and venue; and hereby waive any objections or defenses relating to jurisdiction or venue with respect to any action or proceeding initiated in such courts. © 2019 USAVinyl, LLC

Purchaser has the sole responsibility to determine whether Minnesota Vinyl & Aluminum, Inc. products comply with applicable codes and are appropriate for the intended use.

Distributed by:

WSR-MINFENCE-2019